


CLAIMS

1. A compound of the formula



or a pharmaceutically acceptable acid addition salt thereof, wherein

Ar is naphthyl optionally substituted by ^{one} fluoro, chloro, trifluoromethyl, methoxy, cyano or nitro; quinolyl; 6-hydroxy-8-quinolyl; isoquinolyl; quinazolyl; benzothiazolyl or an oxide or dioxide thereof each optionally substituted by ^{one} fluoro, chloro, trifluoromethyl, methoxy, cyano, or nitro; benzothiazolyl; benzothiadiazolyl; benzotriazolyl; benzoxazolyl; benzoxazolonyl; indolyl; indanyl optionally substituted by one or two fluoro; 3-indazolyl optionally substituted by 1-trifluoromethylphenyl; or phthalazinyl;

n is 1 or 2; and

X and Y together with the phenyl to which they are attached form quinolyl; 2-hydroxyquinolyl; benzothiazolyl; 2-aminobenzothiazolyl; benzothiazolyl; indazolyl; 2-hydroxyindazolyl; indolyl; spiro[cyclopentane-1,3'-indoliny]; oxindolyl optionally substituted by one to three of (C₁-C₃)alkyl, or one of chloro, fluoro or phenyl, said phenyl optionally substituted by one chloro or fluoro; benzoxazolyl; 2-aminobenzoxazolyl;

EXPRESS MAIL NO. 32020456

NR
benzoxazolonyl; 2-aminobenzoxazolonyl; benzothiazolonyl; benzoimidazolonyl; or benzotriazolonyl.

2. A compound according to claim 1 wherein X and Y together with the phenyl to which they are attached form benzoxazolonyl.

3. A compound according to claim 2 wherein Ar is naphthyl and n is 1.

3 4. A compound according to claim 2 wherein Ar is benzoisothiazolonyl and n is 1.

4 5. A compound according to claim 1 wherein X and Y together with the phenyl to which they are attached form oxindole.

6. A compound according to claim 5 wherein Ar is naphthyl and n is 1.

5 7. A pharmaceutical composition having neuroleptic activity comprising a compound according to claim 1 in an amount effective in the treatment of neuroleptic diseases, and a pharmaceutically acceptable carrier.

6 8. A composition according to claim 7 wherein X and Y together with the phenyl to which they are attached form benzoxazolonyl.

9. A composition according to claim 8 wherein Ar is naphthyl and n is 1.

7 10. A composition according to claim 8 wherein Ar is benzoisothiazolonyl and n is 1.

8 11. A composition according to claim 7 wherein X and Y together with the phenyl to which they are attached form oxindole.

12. A composition according to claim 11 wherein Ar is naphthyl and n is 1.

9 13. A method of treating neuroleptic diseases which comprises administering to a subject in need of treatment a neuroleptic amount of a compound according to claim 1.